

## INTEGRITY

# The ship for your life INTEGRITY 520 SX-Plus





**SPECIFICATIONS** 

Length 16.20 m
Beam 5.26 m
Draft 1.40 m
Displacement 22.000 kg

Fuel capacity 2500 ltr
Water 1000 ltr
Holding tank 200 ltr
Construction Hand laid fibreglass



Volvo D11 670 HP. Topspeed 22 knots Semi-displacement hull



### Standard specifications 520SX Plus

 Length
 16.20

 Beam
 5.26

 Draft
 1.40

Hull material GRP

Engine Volvo D11 670 HP,ZF gearbox

Max Speed 22 knots Propulsion Shaft drive

Thrusters Bow & Stern 24V 8HP each

Genset 9.5Kw Fuel 2500 ltr Water 1000 ltr

Galley Induction (2 burner)

Microwave / 2 refrigerator

Hotwater system 60 ltr

Accommodation Full beam Master Cabin ensuite bathroom

Forward cabin ensuite bathroom

Berths 4 in 2 cabins

Toilets 2

Bilge pumps 3x electric and 3 manual

Electrics Victron charger/inverter 3000 24V

House batteries, Engine batterie, Genset batterie

Bow & Stern thruster batterie

Deck gear Anchor locker,2 hatches on deck

SS rail (316), flag staff

SS cleats 8x

Escape deck hatch

Deck lights

Fuel fillers on side decks

Windows in FRP frames(tinted)

Rub rail with SS insert / swim ladder SS

2xSliding door to FRP deck

Wash down tap seawater & Fresh water

27Kgs Anchor,80 ntr chain & electric winch 24V











#### **New Integrity 520 SX Plus**

Designed for the owner that would like the option of faster performance when needed, combined with low cost comfortable cruising the 520 SX Plus boasts huge interior volume, open plan layout perfect for entertaining, aft galley, two stateroom, two bathrooms, full beam midship master the 520SX has it all!

This lastest innovation to our range offers semi-displacement cruising, capable of max speeds of 22 knots and cruising around 16 knots. But remains true to the timeless lines have provided inspiration for the new Integrity SX range. Contemporary design elements have been incorporated to ensure our new range has a striking on water appearance.

Integrity Motor Yachts have travelled untold thousands of sea miles making the seakeeping abilities of our vessels without question. The class leading beam ensures stability in all conditions. The displacement hull, greater beam, full length keel and additional weight ensures stability while underway in the most trying conditions or when at rest.

Our hulls are laid up to survey standard along with vinylester tie layers for strength, durability and osmosis protection. FGI Gelcoat is used on the exterior of the hulls specifically formulated and applied to suit all conditions.

Bow and stern thrusters as standard offer finger-tip control ensuring simple and easy berthing in all conditions. Side and stern access from the swim platform means boarding is safe and simple, no leaps of faith required.

The wide swim platform is perfect for on water recreation. Featuring a sturdy boarding ladder and a retractable hot and cold freshwater shower. Stainless stern rails can be added to accommodate a BBQ, bait preparation boards, tenders and rod holders.

#### Best for family and travel the Integrity 520SX Plus











